



PARAMOUNT AND FLAWLESS QUALITY

GAC SERIES GEL-COAT FILTER

For residential and commercial pools



GAC900



GAC750




GAC600




GAC500

STRIKING AND RELIABLE

Emaux wide opening gelcoat filter is the perfect sand filter for all swimming pool enthusiasts. The flawless gelcoat filter surface is not only eye catching but also corrosion resistant. The transparent wide filter lid provide an exceptional size to monitor and maintain the best filter condition. With the reliable and durable Emaux 6-way valve, this laminated filter is one the most sophisticated sand filter in the market.





Tank Material

Gelcoat Fiberglass

Max Operating Pressure

36 psi / 2.5 bar

Max Temperature

43°C (109°F)

Suggested Size of Media

0.5-0.8mm




GAC Filter is equipped with :

1. 6-way multiport valve
(1.5" for GAC500/GAC600,
2" for GAC750/900)
2. Universal standard of union
connection
3. Pressure gauge
4. ABS Lateral system
5. Piping kit

Optional Accessorie:

Code	Description
440650017	Type-C charging LED light,/ Battery capacity 4500mAh



Product Information:

Code	Model	Filter Area		Max Flow Rate			Sand		In / Outlet Connections		A mm	B mm	C mm	D mm	E mm
		ft ²	m ²	gpm	lpm	m ³ /h	lbs	kgs	GB (mm)	ANSI					
9015704	GAC500	2.1	0.2	62	233	14	220	100	GB50	1.5"	563	500	795	526	310
9015701	GAC600	3	0.28	62	233	14	440	200	GB50	1.5"	653	590	895	627	420
9015702	GAC750	4.7	0.44	97	367	22	1060	480	GB63	2"	966	880	1187	782	650
9015703	GAC900	6.9	0.64	97	367	22	1655	750	GB63	2"	1036	950	1310	922	725



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,
Wanchai, Hong Kong

PHONE +852 2832 9880

www.emauxgroup.com

 **YOUR PREMIER SUPPLIER**