

INNOVATIVE ULTRA SLIM STYLE AND CUTTING-EDGE ILLUMINATION Ultra Slim LED Light



INNOVATIVE ULTRA SLIM STYLE AND CUTTING-EDGE ILLUMINATION

Elevate your swimming experience with our cutting-edge ultra-thin pool lights! The Ultra Slim LED Light offers a sleek and elegant lighting solution that seamlessly integrates into your pool environment. Crafted from high-quality AISI-316 stainless steel, these lights are not only stylish but also easy to install and maintain.

With an impressive thickness of just 8 mm, our Ultra Slim LED lights blend effortlessly into your pool walls. Made from durable PC plastic, these lights are resistant to water and chemicals, ensuring longevity and exceptional value.



Waterproof StandardIP68Cable2.5mMaterialStainless Steel Face Ring
Plastic HousingInstallationWall mounted (Housing type)Color \bigcap_{RGB} $\bigcap_{LED \ Warm White}$ $\bigcup_{LED \ Cool White}$ IP68</td

PRODUCT FEATURE

- **1. Ultra-thin design** in 8 mm thickness.
- **2. The AISI-316 stainless steel** body ensures optimum corrosion resistance.
- **3.100% Water Proofing** with our latest resin filled LED panel technology, the unit is totally waterproof.
- **4. Convenience** easy installation and maintenance. Latest wiring method allows convenient, reliable wiring for replacement.
- 5. Extremely energy-saving and Environmentally Friendly.
- **6. LED life** exceeds 40,000 hours.



Power Supply


Code	Model	Power	Input Voltage	Output Voltage	Photo
1063210691	EL-DC-12V-35W	35W	AC220V	DC12V	
1063210692	EL-DC-12V-60W	60W	AC220V	DC12V	
1063210693	EL-DC-12V-75W	75W	AC220V	DC12V	
1063210694	EL-DC-12V-150W	150W	AC220V	DC12V	-



Control box

Code: 08080035 Model: WTD-CB Input power: 110-220V AC±15%; 50/60Hz Output power: 12V DC: 60W With remote controller

Product Dimensions



Product Information

Code	Model	Watt/ Voltage	Color	luminous Flux (lm)	LED Bulb	Face ring
9043104	EL-F10-CW	8W/12V DC	Cool White (10000k)	550	63 LEDs Bulb	316SS
9043105	EL-F10-WW	8W/12V DC	Warm White (4000k)	550	63 LEDs Bulb	316SS
9043106	EL-F10-RGB	8W/12V DC	RGB	550	63 LEDs Bulb	316SS
9043107	EL-F20-CW	18W/12V DC	Cool White (10000k)	1150	252 LEDs Bulb	316SS
9043108	EL-F20-WW	18W/12V DC	Warm White (4000k)	1150	252 LEDs Bulb	316SS
9043109	EL-F20-RGB	18W/12V DC	RGB	1150	252 LEDs Bulb	31655
9043110	EL-F30-CW	25W/12V DC	Cool White (10000k)	1450	324 LEDs Bulb	31655
9043111	EL-F30-WW	25W/12V DC	Warm White (4000k)	1450	324 LEDs Bulb	316SS
9043112	EL-F30-RGB	25W/12V DC	RGB	1450	324 LEDs Bulb	31655
9043113	EL-F42-CW	40W/12V DC	Cool White (10000k)	1650	522 LEDs Bulb	31655
9043114	EL-F42-WW	40W/12V DC	Warm White (4000k)	1650	522 LEDs Bulb	31655
9043115	EL-F42-RGB	40W/12V DC	RGB	1650	522 LEDs Bulb	31655





EMAUX WATER TECHNOLOGY CO., LTD ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road, Wanchai, HK PHONE +852 2832 9880 www.emauxgroup.com

• YOUR PREMIER SUPPLIER

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. © EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.