




# ***INNOVATIVE ULTRA SLIM STYLE AND CUTTING-EDGE ILLUMINATION***

**Ultra Slim LED Light**



# INNOVATIVE ULTRA SLIM STYLE AND CUTTING-EDGE ILLUMINATION

Elevate your swimming experience with our cutting-edge ultra-thin pool lights! The Ultra Slim LED Light offers a sleek and elegant lighting solution that seamlessly integrates into your pool environment. Crafted from high-quality AISI-316 stainless steel, these lights are not only stylish but also easy to install and maintain.

With an impressive thickness of just 8 mm, our Ultra Slim LED lights blend effortlessly into your pool walls. Made from durable PC plastic, these lights are resistant to water and chemicals, ensuring longevity and exceptional value.



Waterproof Standard

IP68

Cable

2.5m

Material

Stainless Steel Face Ring  
Plastic Housing

Installation

Wall mounted (Housing type)

Color



RGB




LED  
Warm White



LED  
Cool White

## PRODUCT FEATURE

- 1. Ultra-thin design** in 8 mm thickness.
- 2. The AISI-316 stainless steel** body ensures optimum corrosion resistance.
- 3. 100% Water Proofing** with our latest resin filled LED panel technology, the unit is totally waterproof.
- 4. Convenience** easy installation and maintenance.
- 5. Extremely energy-saving** and **Environmentally Friendly**.
- 6. LED life** exceeds 40,000 hours.



## Power Supply

| Code     | Model     | Power | Input Voltage | Output Voltage | Photo                                                                               |
|----------|-----------|-------|---------------|----------------|-------------------------------------------------------------------------------------|
| 50928011 | PV-12036  | 35W   | AC220V        | DC12V          |  |
| 50928012 | PV-12060S | 60W   | AC220V        | DC12V          |                                                                                     |
| 50928013 | PV-12100S | 100W  | AC220V        | DC12V          |                                                                                     |
| 50928014 | PV-12150S | 150W  | AC220V        | DC12V          |                                                                                     |

## Controller for RGB Lights



**Code:** 50922030

**Model:** D015

**Input power:** DC12-24V

**Max.Output:** 15A / 180 Watt

**RF frequency:** 2.4GHz/

Tuya APP Control

## Remote Controller



**Code:** 50922031

**Model:** HX-RFBK-RGB-2.4G


**Powered by:** DC3V

**RF frequency:** 2.4GHz


**RF distance:** 20M

8 dynamic modes


## Installation




## Color Temperature



## Angle and Distance of Illumination



## Product Dimensions



## Product Information

| Code    | Model      | Watt/ Voltage | Color               | luminous Flux (lm) | LED Bulb      | Face ring | A mm | B mm | C mm | D mm | E mm |
|---------|------------|---------------|---------------------|--------------------|---------------|-----------|------|------|------|------|------|
| 9043104 | EL-F10-CW  | 8W/12V AC/DC  | Cool White (10000k) | 550                | 63 LEDs Bulb  | 316SS     | 105  | 120  | 8    | 19   | 65   |
| 9043105 | EL-F10-WW  | 8W/12V AC/DC  | Warm White (4000k)  | 550                | 63 LEDs Bulb  | 316SS     | 105  | 120  | 8    | 19   | 65   |
| 9043106 | EL-F10-RGB | 8W/12V DC     | RGB                 | 550                | 63 LEDs Bulb  | 316SS     | 105  | 120  | 8    | 19   | 65   |
| 9043107 | EL-F20-CW  | 18W/12V AC/DC | Cool White (10000k) | 1150               | 252 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043108 | EL-F20-WW  | 18W/12V AC/DC | Warm White (4000k)  | 1150               | 252 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043109 | EL-F20-RGB | 18W/12V DC    | RGB                 | 1150               | 252 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043110 | EL-F30-CW  | 25W/12V AC/DC | Cool White (10000k) | 1450               | 324 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043111 | EL-F30-WW  | 25W/12V AC/DC | Warm White (4000k)  | 1450               | 324 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043112 | EL-F30-RGB | 25W/12V DC    | RGB                 | 1450               | 324 LEDs Bulb | 316SS     | 208  | 230  | 8    | 24   | 84   |
| 9043113 | EL-F42-CW  | 40W/12V AC/DC | Cool White (10000k) | 1650               | 522 LEDs Bulb | 316SS     | 240  | 280  | 8    | 24   | 84   |
| 9043114 | EL-F42-WW  | 40W/12V AC/DC | Warm White (4000k)  | 1650               | 522 LEDs Bulb | 316SS     | 240  | 280  | 8    | 24   | 84   |
| 9043115 | EL-F42-RGB | 40W/12V DC    | RGB                 | 1650               | 522 LEDs Bulb | 316SS     | 240  | 280  | 8    | 24   | 84   |

Note: For Cool White/Warm White, a DC Power supply or AC Transformer must be ordered separately or provided by the customer;  
The RGB Control box must be ordered separately or provided by yourself.



**EMAUX WATER TECHNOLOGY CO., LTD**

**ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,  
Wanchai, HK**

**PHONE +852 2832 9880**

**[www.emauxgroup.com](http://www.emauxgroup.com)**

 **YOUR PREMIER SUPPLIER**

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
© EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.