

INTELLIGENT WATER DISINFECTION SYSTEM


The CyberSync Salt Chlorinator marks a major upgrade. Its low-salt operation (1000 ppm) leverages advanced electrolyzer technology to deliver extremely soft water. Salt levels are so low they're almost imperceptible, significantly reducing skin, eye (especially for sensitive individuals), and hair irritation. Skin won't feel tight or sticky after swimming. It integrates seamlessly with the Smart Life app for real-time monitoring to ensure optimal water quality. This advanced IoT pool system improves maintenance efficiency with its modern, user-friendly interface and powerful protection programs designed for various operating environments.



ROBUST TITANIUM CELL

Transparent housing

- Gas Detector
- Easy Installation
- Durable Construction
- Self-Cleaning Function
- Integrated Safety Features





LOW-SALT **OPERATION**



REAL-TIME ALERTS




APP REMOTE CONTROL




SEAMLESS INTEGRATION





Product Information and Dimension:













Cell		
	ļ	
_	203.21	

CyberSync Sa	t Chlorinator	Input Voltage/	Salt Level	Cell Output	Concrete Pool	Max	D .:	F "	
Code	Model	Frequency	(ppm)	(gram/h)	(m³)	Consumption	Rating	Function	
9130052	CS-20	110-240V 50/60 Hz	3000/1000	20/10	100/60	210W			
9130053	CS-30	110-240V 50/60 Hz	3000/1000	30/15	140/80	280W	IPX4	Salt Chlorinator	
9130054	CS-40	110-240V 50/60 Hz	3000/1000	40/20	180/100	370W			

Optional Accessories Specifications

Code	Product Name	Parameter	Photo
50903030	Flow switch	Normal open	
12001001	Holder	PVC	



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road, Wanchai, Hong Kong

PHONE +852 2832 9880 www.emauxgroup.com

www.emdoxgroup.com



