



PRESTIGIOUS AND IMPECCABLE QUALITY

GDB SERIES GELCOAT FILTER _____


_____ *For residential and commercial pools*



DURABLE AND TRUSTWORTHY

The Emaux wide opening gelcoat Filter is an outstanding sand filter for swimming pool enthusiasts. Its flawless gelcoat surface is not only aesthetically pleasing but also resistant to corrosion. The specially deepened sand layer enhances water clarity, while the transparent wide filter cover and side view panel simplify monitoring, ensuring optimal filter maintenance. Equipped with the reliable and durable Emaux 6-way valve, this laminated filter stands out as one of the most advanced sand filters available.





Tank Material

Gelcoat Fiberglass

Max Operating Pressure

36 psi / 2.5 bar

Max Temperature

43°C (109°F)

Suggested Size of Media

0.5-0.8mm




GDB Filter is equipped with :

1. 6-way multiport valve
(1.5" for GDB500/GDB600, 2" for GDB750)
2. Universal standard of union connection
3. Pressure gauge
4. ABS Lateral system
5. Piping kit

Optional Accessorie:

Code	Description
440650017	Type-C charging LED light, Battery capacity 4500mAh



Product Information:

Code	Model	Filter Area		Max Flow Rate			Sand		In / Outlet Connections		A	B	C	D	E	F	G
		ft ²	m ²	gpm	lpm	m ³ /h	lbs	kgs	GB (mm)	ANSI	mm	mm	mm	mm	mm	mm	mm
9015801	GDB500	2.1	0.2	44	166	10	353	160	GB50	1.5"	372	125	560	1081	524	449	450
9015802	GDB600	3	0.28	62	233	14	703	319	GB50	1.5"	465	125	653	1282	628	562	650
9015803	GDB750	4.7	0.44	97	367	22	1312	595	GB63	2"	560	140	786	1480	774	574	830



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,
Wanchai, Hong Kong

PHONE +852 2832 9880

www.emauxgroup.com

 **YOUR PREMIER SUPPLIER**