Ultra-Power Commercial Pump

SUPREME PERFORMANCE, SELF-PRIMING PUMP

For commercial pools, spas, aquatic parks, and seawater facilities




Pool & Spa Equipment

Product Features

Supreme Performance Self-priming pump Ultra-Power is a series of high-performance pumps designed to achieve the highest flows among similar pumps on the market. By utilizing state-of-the-art engineering, the one-piece molded pump body with a large capacity 8-liter strainer basket makes it unique among all comparable pumps. Built with corrosion and chemical resistant glass-reinforced thermoplastic and superior seawater graded mechanical seal guarantee a long working life.








Specification:


Water Proof: IPX5
 Self Priming: 3 m

3. Flow rate: Up to 110 m³/h4. Working Voltage: 380-400Vac

5. Premium Efficiency IE3 Class Motor

6. Bearing: High temperature resistant up to 160°C







Outstanding Hydraulic Performance

Highest Efficiency up to 80%

The Ultra-Power pump is Emaux's first commercial pump with a 3" union to achieve the hydraulic performance of more than 45 m³/h at 18m of head (7hp model). With a wide selection of power options (from 4, 5.5, 7hp) available in 3-phase motor, it becomes one of the most efficient and energy-saving solution for various range of the commercial pool and seawater facilities.





Product Information

Code 400V/50HZ*	Model	Connection Size	Horsepower	Strainer Vol (L)	RPM		Noise (dB)	Current (AMP)	Head (m)					
									8	10	12	14	16	18
400 V/3011Z		Size	(hp)	VOI (L)		(kw)	(ub)	(Alvir)	Flow Rate(m ³ /h)					
9024401	UPH400	3"/90mm	4	8	2850	3	70	5.5	64	62	53	42	30	
9024402	UPH550	3''/90mm	5.5	8	2850	4	72	8	82	75	66	58	43	28
9024403	UPH700	3"/90mm	7	8	2850	5	72	10	96	90	82	72	60	45

Code 230V/460V	Model	Connection Size	Horsepower (hp)	Strainer Vol (L)	RPM	Input Power (kw)	Noise (dB)	Current (AMP)	Head (m)					
									8	10	12	14	16	18
60Hz*									Flow Rate(m ³ /h)					
9024404	UPH400	3"/90mm	4	8	3400	3	70	10/5A	60	52	45	32	15	
9024405	UPH550	3"/90mm	5.5	8	3400	4	72	13/6.5A	70	65	58	50	38	22
9024406	UPH700	3"/90mm	7	8	3400	5	72	16/8A	73	70	62	55	42	38

^{*}Three phase

EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,

Wanchai, Hong Kong PHONE +852 2832 9880 www.emauxgroup.com



Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.

© FMAUX WATER TECHNOLOGY CO., LTD., ALL RIGHTS RESERVED.