



SMART CHLORINE LESS CHEMICAL

SSCnano+ Salt Chlorinator

For Above and Inground Pool



COMPACT DESIGN & SUPERIOR CHLORINATION

The SSCnano+ is an innovative in-line salt chlorinator that seamlessly synchronizes with the pump. Offering 12 chlorine production modes, it provides complete control over the chlorination process. Integrated features like a water flow switch, salinity monitoring, and water temperature tracking enable responsive pool management. Its innovative technology also includes a cell run-time meter. Enjoy the benefits of long cell life and reduced chemical usage, thanks to its efficient and environmentally friendly design. Compact and user-friendly, the SSCnano+ revolutionizes chlorine generation.



CE IPX4

Product feature:

- Auto self cleaning reverse polarity
- Cell run-time meter
- Temperature sensor
- ON/OFF operation
- Water flow switch

Transparent
Protective Shell

Current Data

Lock / Unlock

Water Flow Switch

A minimum flow rate of 3 m³/hr is required to activate the water flow switch.

Salt level Status


Water Flow
& Cell Status

Temperature &
Chlorine output



BOOST Mode



Installation Diagram



2 installation methods:



Material
PC / ABS

Operation Voltage
110V - 240V

Max. pool volume
100 m³ - 180 m³

Salt Level
2,800 to 4,500 ppm

Working Temperature
15 - 40 °C

Waterproof Standard
IPX4

Accessories & Power Supply:





63mm (2") union



Switch mode
power supply

Product Information



Code	Model	Input Voltage/ Frequency	Salt Level	Cell production rate	Maximum working pressure	Cell Connections	Working Temperature	Max. Pool Volume
9130059	SSCnano+20	110 - 240 V/ 50-60 Hz	2,800 to 4,500 ppm	20g/hr	2.5 bar	2"/63mm	15-40 °C	100m ³
9130060	SSCnano+30			30g/hr				140m ³
9130061	SSCnano+40			40g/hr				180m ³



EMAUX WATER TECHNOLOGY CO., LTD

**ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,
Wanchai, Hong Kong**

PHONE +852 2832 9880

www.emauxgroup.com

💧 YOUR PREMIER SUPPLIER

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
© EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.