

SSCone Salt Chlorinator

ONE TOUCH MULTI-FUNCTIONAL CHLORINATOR
For residential and semi-commercial pools



 **Emaux**
water technology

CE  RoHS COMPLIANT  SAA

Pool & Spa Equipment

Product Features



Automatic Salt Chlorinator + PH Control & Dosing

Salt chlorinated pools are among the best to enjoy and offer comfortable bathing, but such systems tend to raise pH. The Emaux SSC-one takes the guesswork out of adding the chemicals: its dosing pump injects acid to automatically maintain the correct pH level, and its cell takes care of the chlorine production. Programmed automatically and using the best quality of salt, no harmful by-products are produced. One of the most technically advanced and user friendly salt water chlorinators on the market.




Titanium cell with 2 meters cable

Product Features

- 1) Timer for pump and programmable cell control.
- 2) Direct power function.
- 3) Boost button for super chlorination at 100% power for 24 hours.
- 4) Visual pH reading, and easy set-up.
- 5) Capacitive touch buttons control panel.
- 6) Switch Switch reverse polarity at every 4 or 8 or 12 hours to minimise cell scaling depending on water hardness.
- 7) Fully automatic or manual operation.
- 8) Winter mode reduces power to 50%.

Product Dimension and Technical Information



Code	Model	Input Voltage/ Frequency	Salt Level	Cell Output	Maximum Pool Size	Cell Connections
9130012	SScone	220-240V / 50-60Hz	2500ppm	Up to 50gr/hr	Up to 150,000 Liters	1.5" / 50mm or 2" / 63mm

Functions

1 A. INNOVATIVE TOUCH PANEL

-Intuitive and visual touch panel with LED indications

B. INTELLIGENT ALERT

- No flow detection
- Low salt alarm
- Cell lifetime alarm
- High heat sink temperature alarm
- pH dosing error



3 POWER

- Visual and easy reading power output
- Control the chlorine production
- Boost button, sets the system in super chlorination, 100% power for 24 hours

4 TIME

- Easy and intuitive operating system
- Timer for pump and cell programming control
- Two different schedules per day

2 INTUITIVE MODES

- Automatic or manual mode
- Switch the polarity according to the water hardness
- Winter mode

5 PH

- Visual pH reading, and easy set-up.
- Two different indications: current pH and set point
- Automatic control of the pH dosing pump

Other Accessories



pH probe



pH Buffer



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307 Lockhart Road,
Wanchai, Hong Kong

PHONE +852 2832 9880

www.emauxgroup.com

 **YOUR PREMIER SUPPLIER**

Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
© EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.

www.emauxgroup.com