

Superior SSC Series Salt Chlorinator

VARIOUS MODELS TO FIT YOUR NEEDS

For residential and semi-commercial pools



 **Emaux**
water technology



SAA

Pool & Spa Equipment

Product Features

Automatic Disinfection System


The Superior SSC represents a significant product upgrade that consolidates many years of design and user experience with salt chlorination. The power supply controller arrives in a fresh and modern design offering a more user-friendly interface together with advanced system protection programs to deal with a wide variety of operating environments. The Superior SSC is an ultimate robust and reliable salt chlorinator for residential pools and semi-commercial pools.




SAA

Installation Diagram

Below is the basic diagram of installation for a salt chlorinated pool.



Product Dimension



Technical Information

Code 220V/50Hz	Model	Description	Salt Level (ppm)	Cell Output (gram/h)	Fiberglass Pool(L)	Concrete Pool(L)	Pool Light Voltage	Input Voltage /Freq	IP Rating
9130016	SUC15-E	Standard Version	3000-4000	15	50,000	45,000	N/A	240V 50/60Hz	IPX4
9130014	SUC25-E		3000-4000	25	75,000	70,000			
9130019	SUC50-E		4000-5000	45	120,000	110,000			
9130017	SUC15-T	With Time Clock	3000-4000	15	50,000	45,000	N/A	240V 50/60Hz	IPX4
9130015	SUC25-T		3000-4000	25	75,000	70,000			
9130020	SUC50-T		4000-5000	45	120,000	110,000			
9130018	SUC15-TLT	With Time Clock & Pool Light Transformer	3000-4000	15	50,000	45,000	12V AC	240V 50/60Hz	IPX4
9130013	SUC25-TLT		3000-4000	25	75,000	70,000			

Features

- 3 models to choose: 15, 25, 45g/hr
- Improved user interface and system status indication
- Adopt higher operation temperature with upgraded electronic components
- Programmed for high-temperature protection to prevent system overheat due to high salt level or high ambient temperature
- Monitor and control cell output current to prevent overdrive and temperature rise
- Simple error message display for easy service:
 - Controller overheat
 - The thermal sensor cable is disconnected
 - AC line fault or fuse is broken.
- Self cleaning reverse polarity
- Quality titanium cells
- Models with time clock and/or pool light transformer are available



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307

Lockhart Road, Wanchai, Hong Kong

PHONE +852 2832 9880

www.emauxgroup.com

 **YOUR PREMIER SUPPLIER**

Available from:

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
© EMAUX WATER TECHNOLOGY CO., LTD. ALL RIGHTS RESERVED.

www.emauxgroup.com