PRODUCT CATALOGUE

SAUNA HEATER

2026 - 2027

About Dolomiti&F

Great passion

With a huge passion for sauna and wellness, the founder of Dolomiti&F, who had been worked for sauna and wellness industry for thirty years, decided to found the brand. "We are making great efforts to produce top quality sauna products and fulfill user's more choices," said by our founder.

High quality

Dolomiti products go through a long and carefully supervised production process to guarantee the best quality of each product. From the the selection of raw materials to the final inspection, we take pride in delivering a superior product.

Sustainable products

Our commitment to sustainability starts with the materials we use, recyclable materials are friendly to the environment. Additionally, we are using energy-efficient technology in our heaters to help reduce your carbon footprint and conserve energy.

CONTENTS

Sauna Controller

The controller of sauna regulates the temperature of the sauna room based on the information provided by the temperature sensor.
You can adjust the temperature and using time by a touch screen control panel, or by a mobile phone app remotely control when with WIFI!

Classy (WIFI) Controller

The Classy (WIFI) controller includes a stylish black outlook and touch screen control panel, power unit, temperature sensor, data cable and a door switch. The WIFI version controller can use the panel or the mobile phone app to remotely control the heater, which makes sauna use more conveniently.

Technical details

Control panel

Temperature Regulation Range :	40–110 °C
Dimensions :	103 mm x 125 mm x 27 mm

Power unit

|	
CL32WF-C WIFI :	230V 1N~ max.9KW
	400V 3N~, max.18KW
CL50WF-C WIFI :	230V 1N~ max.9KW
	400V 3N~, max.30KW
CL40WF-R WIFI :	230V 1N~ max.9KW
	400V 3N~, max.12KW
Dimensions :	340 mm x 300 mm x 130 mm(CL-C)
	270 mm x 273 mm x 80 mm(CL-R)

Temperature Sensor

Resettable Overheat Protector :	150°C
Dimensions :	50mm x 72 mm x 28 mm

Remotely Control by Mobile Phone

Temperature display:	Time Display:
Minus:	MENU: MENU	Plus:
Switch On/Off:	Light:	Fan:

Controller Installation Diagram

Classy Controller

The Classy controller is mostly same like Classy (WIFI) controller, but without the door switch and WIFI control function, adjust the temperature and using time by a touch screen control panel . This is specially for those users who prefer typical operation of saunas.

Technical details

Control panel

Temperature Regulation Range :   40–110 °C

Dimensions :   103 mm x 125 mm x 27 mm

Power unit

CL32WF-C :   230V 1N~ max.9KW
                    400V 3N~, max.18KW

CL50WF-C :   230V 1N~ max.9KW
                    400V 3N~, max.30KW

CL40WF-R :   230V 1N~ max.9KW
                    400V 3N~, max.12KW

Dimensions :   340 mm x 300 mm x 130 mm(CL-C)
               270 mm x 273 mm x 80 mm(CL-R)

Temperature Sensor

Resettable Overheat Protector :   150°C

Dimensions :   50mm x 72 mm x 28 mm

Controller Installation Diagram

The BB90 controller is mainly suitable for family use heaters and is a cost-effective controller. The easily operates touch screen control panel makes sauna use more simple.

MODEL:BB90

Technical details

Control panel

Temperature Regulation Range :   40–110 °C

Dimensions :   141 mm x 111 mm x 43 mm

Power unit

Max.load :   230V 1N~, max.9KW
                    400V 3N~, max.12KW

Dimensions :   300 mm x 250 mm x 85 mm

Temperature Sensor

Resettable Overheat Protector :   110°C

Dimensions :   41.5mm x 53 mm x 26 mm

Complex Mini

The Complex Mini sauna heater is designed for small saunas, the double-layer design of the heater requires a small safety distance, so the installation needs very little space. And the small power can better meet the needs of small family-use. The user-friendly heater can be floor-standing and wall-mounted assembled.

Technical details

MODEL: TH30 TH30B

POWER: 3kW

SIZE:
320*265*600mm(Vertical)
340*265*650mm(Wall-mounted)

WEIGHT: 13.82KG

STONE CAPACITY: 10KG

SAUNA ROOM
CUBIC VOL: 2-4m³

Color ● BLACK ○ STEEL

Parts

Wall-mounted Parts

Floor-standing parts

Safety railing

Sauna protective cover

265

265

320

600

Color ● **BLACK** ○ **STEEL**

Technical details

MODEL: TH30E TH30BE

POWER: 3kW

SIZE:
305*265*600mm(Vertical)
320*265*650mm(Wall-mounted)

WEIGHT: 13.82KG

STONE CAPACITY: 10KG

SAUNA ROOM
CUBIC VOL: 2-4m³

Parts

Wall-mounted
Parts

Floor-standing
parts

Complex Mini-E

The Complex Mini with E sauna heater is outer control and requires a controller unit. You can chose a cost-effective BB90 controller or a modern look CL32/CL40WF controller to make your sauna bath completely.

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Safety railing

Sauna protective cover

Pillar mini heater

The Pillar Mini heater is specially designed for family saunas. Small power with effectively heating and more stone capacity saves the energy and ensures a warm and steam sauna bath. The elegant safety railing is not only for safety but style your saunas.
The Pillar Mini heater is with built in control and have a timer and thermostat to make sauna use easily.


Color ● BLACK ○ STEEL

Parts

Safety railing

Technical details

| MODEL:	PH30 PH30B
POWER:	3kW
SIZE:	280*300*680mm
WEIGHT:	8KG
STONE CAPACITY:	25KG
SAUNA ROOM CUBIC VOL:	2-4m³

Pillar Mini-E heater

The Pillar Mini-E heater is outer control and requires a control unit. The heater is floor-standing and can be embedded in the bench.

You can chose a cost-effective BB90 controller or a modern look CL32/-CL40WF controller to make your sauna bath completely.

Color ● BLACK ○ STEEL

Technical details

MODEL: PH30E PH30BE

POWER: 3kW

SIZE: 280*300*680mm

WEIGHT: 8KG

STONE CAPACITY: 25KG

SAUNA ROOM
CUBIC VOL: 2-4m³

Color ● BLACK ○ STEEL

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Parts

Safety railing

Corner heater

The Corner sauna heater with a small size and requires very little space and assemble in the corner of the sauna room. With a big capacity of sauna stone and protective cover for heating elements, the heater ensures warmly and steamy sauna bath environment but prolong the life for heating elements, which is perfectly suitable for sauna enthusiast.
The Corner heater is wall-mounted and with built in control and have a timer and thermostat to make sauna use easily.

Technical details

MODEL:	CH30 CH30B
POWER:	3kW
SIZE:	290*290*635mm
WEIGHT:	9KG
STONE CAPACITY:	15KG
SAUNA ROOM CUBIC VOL:	2-4m³

Parts

Wall-mounted Parts

Color ● BLACK ○ STEEL

Corner-E heater

The Corner-E heater is outer control and requires a control unit. The heater is wall-mounted and must assemble in the corner of the sauna room.
You can chose a BB90 controller or a modern look CL32/CL40WF controller to make your sauna bath completely.

Technical details

MODEL: CH30E CH30BE

POWER: 3kW

SIZE: 290*290*635mm

WEIGHT: 9KG

STONE CAPACITY: 15KG

SAUNA ROOM
CUBIC VOL: 2-4m³

Parts

Wall-mounted
Parts

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Color   ● BLACK   ○ STEEL

Technical details

TH45 TH45B 4.5kW		3–6m³
TH60 TH60B 6kW		5–8m³
TH80 TH80B 8kW		7–11m³

SIZE:

265*500*600mm(Vertical)
290*500*670mm(Wall-mounted)

WEIGHT: 18.38KG

STONE CAPACITY: 20KG

Complex heater

The Complex sauna heater is designed for family use, with floor-standing and wall-mounted brackets that make it easier and user-friendly to install, and can be adapted to a variety of sauna layouts. The structure adopts a double-layer design to improve the ventilation so that extend the life span of the heating elements. The curved exterior design in the details makes this heater looks more refined and sturdy. Complex sauna heater has internal control and outer control.

Color   ● BLACK   ○ STEEL

Parts

| Wall-mounted Parts	Floor-standing parts	Safety railing	Sauna protective cover

Complex-E heater

The Complex-E heater is outer control and requires a control unit. The heater can be wall-mounted and floor-standing assemble in the sauna room, and is possible embedded in the bench, which suitable for more layout designs.

You can chose a BB90 controller or a modern look CL32/CL40WF controller to make your sauna bath completely.

490

490

290

670

Technical details

TH45E TH45BE 4.5kW   3-6m³

TH60E TH60BE 6kW   5-8m³

TH80E TH80BE 8kW   7-11m³

SIZE:
265*490*600mm(Vertical)
290*490*670mm(Wall-mounted)

WEIGHT: 18.38KG

STONE CAPACITY: 20KG

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Parts

Wall-mounted Parts

Floor-standing parts

Safety railing

Sauna protective cover

1080

370

The Crown heater

The Crown sauna heater features soft lines, a metallic aesthetic, and a crown-like appearance, adding a premium design style to the sauna room. The round design allows the sauna heater to be floor-mounted or embedded in the bench which can be used in different sauna floor layout plans. With a large capacity of sauna stone, people can throw water from different side, the heater provides great amount of heat and steam for sauna bath, very suitable for families who love saunas or for small commercial use.

The model has internal or external control. The built in control has a timer and a thermostat for the sauna use, and the external control requires BB90 controller or a modern look CL32/-CL40WF controller to make your sauna bath completely.

Technical details

CR60B/CR60BE 6kW   5-8m³

CR90B/CR90BE 9kW   8-13m³

SIZE: 370*370*1080mm

WEIGHT: 16.2KG

STONE CAPACITY: 60KG

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Color   ● BLACK   ○ STEEL

Pillar heater

The Pillar sauna heater has a leaf-like appearance, with a large amount stone capacity increases heat storage and greatly improves heating efficiency. The round design allows for multi-directional watering, resulting in a significant amount of heat and steam, giving you a warm yet gentle experience. The Pillar heater is with built in control and have a timer and thermostat to make sauna use easily.

Technical details

PH60 PH60B 6kW   5-8m³

PH90 PH90B 9kW   8-13m³

SIZE: 320*320*950mm

WEIGHT: 12.68KG

STONE CAPACITY: 60KG

Color ● BLACK   ○ STEEL

Parts


Safety railing

Pillar-E heater

The Pillar-E heater is outer control and requires a control unit. The heater is floor-standing assemble in the sauna room, and can be embedded in the bench.

You can chose a BB90 controller or a modern look CL32/CL40WF controller to make your sauna bath completely.

The safety railing consists of light-coloured curved wood and stainless steel fittings that prevent the user from inadvertently touching the hot sauna heater, and also an excellent way to style your heater.

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Parts

Safety railing

Technical details

PH60E PH60BE 6kW   5-8m³

PH90E PH90BE 9kW   8-13m³

SIZE: 320*320*950mm

WEIGHT: 12.68KG

STONE CAPACITY: 60KG

Color   ● BLACK   ○ STEEL

Power heater

The Power sauna heater is suitable for sauna rooms that are used for apartments, hotels, holiday resorts, fitness centers and other commercial facilities.

The Power heaters are with adjustable leg support that keeps the heater stand leveled on the floor, and increase the air circulation of the heater, which can greatly extend the life span of the heating elements.

The curved out-look with double-layer structure and aluminum cover design ensure that the heater remains in good condition even after prolonged use.

Power heater is available in 10.5kw, 12kw and 16kw with an external controller.

Technical details

TH105E TH105BE 10.5kW   9-15m³

TH120E TH120BE 12kW   12-16m³

TH160E TH160BE 16kW   15-22m³

SIZE: 410*520*590mm

WEIGHT: 28.6KG

STONE CAPACITY: 50KG

Color   ● BLACK   ○ STEEL

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Space heater

Space sauna heater's black square shape looks very simple but luxury, suitable for most sauna layouts, it can be placed against the wall or embedded in the bench. Double-layer structure ensures the low temperature of heater surface, and the protective cover for heating tubes extends the life span of the heater.

The heating tube can be replaced by opening the cover from the front, the disassembly process is simple, which reflects the designer's humanized consideration for the convenience of user operation. The Space heater makes after-sales maintenance more convenient.

820

360

455

CONTROLLER

BB90
Control Unit

CL32/40WF(WIFI)
Control Unit

Parts

Safety railing

Technical details

SD60E SD60BE 6KW   5-8m³

SD75E SD75BE 7.5KW   6-10m³

SD90E SD90BE 9KW   8-13m³

SIZE: 455*360*820mm

WEIGHT: 23KG

STONE CAPACITY: 50KG

Color   ● BLACK   ○ STEEL

Space Pro heater

Space Pro sauna heater is with simple but luxury outlook, it's big power range is specially for big commercial sauna use. Double-layer structure ensures the low temperature of heater surface, and the protective cover for heating tubes extends the life span of the heater.

The heating tube can be replaced by opening the cover from the front, the disassembly process is

simple, which makes after-sales maintenance more convenient, especially for users who need to replace the heating element frequently, such as community clubs, hotel venues and commercial spa places.

CONTROLLER

CL50WF-C(WIFI)
Control Unit

Technical details

SD180E 18KW		18-25m³
SD225E 22.5KW		22-35m³
SD270E 27kW		27-45m³
SIZE:		825*395*830mm
WEIGHT:		53KG
STONE CAPACITY:		80KG

Color ● BLACK ○ STEEL

830

395

825

STEAM GENERATORS

Steam benefits

1. IMPROVED SKIN
2. STRESS REDUCTION
3. RESPIRATORY HEALTH
4. IMPROVED MUSCLE RECOVERY
5. DETOX
6. GOOD FOR SLEEP
7. ASSISTS IN SLIMMING
8. IMMUNE SYSTEM BOOST

STEAM GENERATORS
S6A Series

In contrast to the sauna, in the steam bath the humidity reaches 100% and the temperature never exceeds 48°C. The heat, the water, the silence and the solitude, steam bath is the perfect way to relax and let the stressful demands of everyday life fade away.

Product Accessories

Aroma Pump · External TEMP. sensor · Control cable · Manual drain (standard) · Auto. Flush(optional) · Steam nozzle · Control panel · WIFI Control panel

Technical details

Model	Power (KW)	Size (MM)	Recommended Room Size(m³)	Steam Output (ml/min)	230V 1N~		400V 3N~	
					Cable (mm²)	Fuse (A)	Cable (mm²)	Fuse (A)
S6A-6KW	6	385X172X311	5-8	180	3x4	1x32	5x2.5	3x10
S6A-9KW	9	385X172X311	10-12	260	3x10	1x40	5x2.5	3x16
S6A-12KW	12	415X210X415	14-16	360	-	-	5x4.0	3x20
S6A-15KW	15	415X210X415	18-20	450	-	-	5x6.0	3x25
S6A-22.5KW	22.5	430X240X415	24-26	550	-	-	5x10.0	3x40

ACCESSORIES

High quality sauna stones

Premium sauna stones feature exceptional thermal shock resistance, ensuring durability against cracking during rapid heating/cooling cycles. Their natural minerals also release beneficial trace elements when heated, contributing therapeutic benefits and enhancing the wellness value of your sauna session.

Safety railing(Pillar)
MODEL:DOSR25001

Safety railing(Mini)
MODEL:DOSR25002

Safety railing(complex)
MODEL:DOSR25003

Safety railing(Space)
MODEL:DOSR25004

Bucket (Aluminum)
MODEL:DOBU25001

Bucket (Pine)
MODEL:DOBU25002

Sauna Lampshade(birch)
MODEL:DOSL25001

Sauna Lampshade(birch)
MODEL:DOSL25002

Ventilation (small)
MODEL:DOWV25001

Ventilation (big)
MODEL:DOWV25002

Headrest(cedar)
MODEL:DOWP25002

Headrest(birch)
MODEL:DOWP25001

Sauna Backrest(cedar)
MODEL:DOSB25001

Sauna Backrest (cedar)
MODEL:DOSB25002

Headrest(birch)
MODEL:DOWP25003

Ladle (Pine)
MODEL:DOLA25001

Sauna stones - 16KG
MODEL:DOST25001

Ladle (Aluminum)
MODEL:DOLA25002

Sauna Hanger
MODEL:DOSH25001

Sauna Lamp
MODEL:DOL25001

Thermo/Hygrometer
(Aluminum)
MODEL:DOTH25001

Thermo/Hygrometer
(Stainless steel)
MODEL:DOTH25002

Thermo/Hygrometer (Pine)
MODEL:DOTH25003

Sandglass(aspen/glass)
MODEL:DOSA25001

Sandglass (cedar/glass)
MODEL:DOSA25002

Certificates

Minimum Safety Distance (mm)

Complex/Complex Mini
### Model: TH30/TH30E/TH45/TH60/TH80/TH45E/TH60E/TH80E

| min.mm	A	B	C	D
3kW	35	20	35	1000
4.5kW	35	20	35	1200
6kW	50	30	50	1200
8kW	100	30	80	1200

min.mm	A	B	C	D
3kW	35	20	35	1100
4.5kW	35	20	35	1300
6kW	50	30	50	1300
8kW	100	30	80	1300

Power
Model: TH105E/TH120E/TH160E

min.mm	A	B	C	D	E
10.5kW	100	150	1300	100	40
12kW	100	150	1500	100	40
16kW	100	150	1500	100	40

Space
Model: SD60E/SD75E/SD90E

min.mm	
A	30
B	1100
C	40

Space Pro
Model: SD180E/SD225E/SD270E

min.mm	
A	100
B	1400
C	50

Pillar Mini
Model: PH30/PH30E

min.mm		
A	B	C
30	100	950

Corner
Model: CH30/CH30E

min.mm
A=100
B=950

Pillar
Model: PH60/PH90/PH60E/PH90E

A=100
B=100
C=950
D=40

Crown
Model: CR60/CR90/CR60E/CR90E

A=100
B=100
C=850
D=40

DOLOMITI&F