


Pool Surrounding Equipment

SUPERIOR CORROSION RESISTANCE

Both anchor and flange type available

Material

Polished Stainless Steel 304 or 316



 **Emaux**
water technology

Pool & Spa Equipment

Pool Ladders

Stainless Steel 304 or 316 ($\phi 42\text{mm}$) tubes with a polished finish



Ancillary Shoring
- is provided with a supporting construction on the wall.



Installation Options :

1) Anchor Type

2) Flange Type



Pool ladders can be easily installed either with anchors embedded in the concrete deck or bolted flanges. The fixtures are concealed by stainless steel escutcheons.



Step Options :

- 1) Stainless Steel
- 2) Stainless Steel (with anti-slip pad)
- 3) Plastic


Robust Steel Arms of Pools

Quality ladders provide safety and ease for your pool

Ladder handrails are made of $\phi 42\text{mm}$ tubes in polished stainless steel 304 (or 316 for saltwater pools). Correct selection and proper placement of handrails and ladders add a significant measure of safety to every pool area.

Three kinds of step are available: Plastic, stainless steel, and stainless steel with anti-slip pads. All ladders are available with anchor or flange type fixtures for easy installation.

NSL SERIES



Anchor Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
9121622	9121625	NSL215-S	493	1320	686	788	708
9121720	9121723	NSL315-S	493	1570	686	788	708
9121822	9121825	NSL415-S	493	1820	686	788	708
9121922	9121925	NSL515-S	493	2070	686	788	708
9120602	9120605	NSL815-S	493	2830	692	699	619


Anchor Type Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
9121623	9121626	NSL215-SR	493	1320	686	788	708
9121721	9121724	NSL315-SR	493	1570	686	788	708
9121823	9121826	NSL415-SR	493	1820	686	788	708
9121923	9121926	NSL515-SR	493	2070	686	788	708
9120603	9120606	NSL815-SR	493	2830	692	699	619

Anchor Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm	E mm
9121621	9121624	NSL215-P	476	1320	686	788	708
9121719	9121722	NSL315-P	476	1570	686	788	708
9121821	9121824	NSL415-P	476	1820	686	788	708
9121921	9121924	NSL515-P	476	2070	686	788	708
9120601	9120604	NSL815-P	476	2830	692	699	619

SLF SERIES



Flange Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
9120032	9120035	SLF215-S	493	1320	686	788
9120132	9120135	SLF315-S	493	1570	686	788
9120232	9120235	SLF415-S	493	1820	686	788
9120332	9120335	SLF515-S	493	2070	686	788
9122202	9122205	SLF815-S	493	2830	692	699

Flange Type Stainless Steel Step: (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
9120033	88077206	SLF215-SR	493	1320	686	788
9120133	88077207	SLF315-SR	493	1570	686	788
9120233	88077208	SLF415-SR	493	1820	686	788
9120333	88077209	SLF515-SR	493	2070	686	788
9122203	88077216	SLF815-SR	493	2830	692	699

Flange Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm	D mm
9120031	88072106	SLF215-P	476	1320	686	788
9120131	88072107	SLF315-P	476	1570	686	788
9120231	88072108	SLF415-P	476	1820	686	788
9120331	88072109	SLF515-P	476	2070	686	788
9122201	88072116	SLF815-P	476	2830	692	699

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures

NSF SERIES



Anchor Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121616	9121619	NSF215-S	493	1330
9121714	9121717	NSF315-S	493	1580
9121816	9121819	NSF415-S	493	1830
9121916	9121919	NSF515-S	493	2080


Anchor Type Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121617	9121620	NSF215-SR	493	1330
9121715	9121718	NSF315-SR	493	1580
9121817	9121820	NSF415-SR	493	1830
9121917	9121920	NSF515-SR	493	2080

Anchor Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121615	9121618	NSF215-P	476	1330
9121713	9121716	NSF315-P	476	1580
9121815	9121818	NSF415-P	476	1830
9121915	9121918	NSF515-P	476	2080

SFF SERIES



Flange Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120026	9120029	SFF215-S	493	1330
9120126	9120129	SFF315-S	493	1580
9120226	9120229	SFF415-S	493	1830
9120326	9120329	SFF515-S	493	2080


Flange Type Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120027	9120030	SFF215-SR	493	1330
9120127	9120130	SFF315-SR	493	1580
9120227	9120230	SFF415-SR	493	1830
9120327	9120330	SFF515-SR	493	2080

Flange Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120025	9120028	SFF215-P	476	1330
9120125	9120128	SFF315-P	476	1580
9120225	9120228	SFF415-P	476	1830
9120325	9120328	SFF515-P	476	2080

NMU SERIES



Anchor Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121604	9121607	NMU215-S	493	1330
9121702	9121705	NMU315-S	493	1580
9121804	9121807	NMU415-S	493	1830
9121904	9121907	NMU515-S	493	2080


Anchor Type Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121605	9121608	NMU215-SR	493	1330
9121703	9121706	NMU315-SR	493	1580
9121805	9121808	NMU415-SR	493	1830
9121905	9121908	NMU515-SR	493	2080

Anchor Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9121603	9121606	NMU215-P	476	1330
9121701	9121704	NMU315-P	476	1580
9121803	9121806	NMU415-P	476	1830
9121903	9121906	NMU515-P	476	2080

MUF SERIES



Flange Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120014	9120017	MUF215-S	493	1330
9120114	9120117	MUF315-S	493	1580
9120214	9120217	MUF415-S	493	1830
9120314	9120317	MUF515-S	493	2080

Flange Type Stainless Steel Step: (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120015	9120018	MUF215-SR	493	1330
9120115	9120118	MUF315-SR	493	1580
9120215	9120218	MUF415-SR	493	1830
9120315	9120318	MUF515-SR	493	2080

Flange Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120013	88072306	MUF215-P	476	1330
9120113	88072307	MUF315-P	476	1580
9120213	88072308	MUF415-P	476	1830
9120313	88072309	MUF515-P	476	2080

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures

OF SERIES



Anchor Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9121610	9121613	OF215-S	493	1460	561
9121708	9121711	OF315-S	493	1710	811
9121810	9121813	OF415-S	493	1960	1061
9121910	9121913	OF515-S	493	2210	


Anchor Type Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9121611	9121614	OF215-SR	493	1460	561
9121709	9121712	OF315-SR	493	1710	811
9121811	9121814	OF415-SR	493	1960	1061
9121911	9121914	OF515-SR	493	2210	1311

Anchor Type Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9121609	9121612	OF215-P	476	1460	561
9121707	9121710	OF315-P	476	1710	811
9121809	9121812	OF415-P	476	1960	1061
9121909	9121912	OF515-P	476	2210	1311

OFF SERIES



Flange Type Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120020	9120023	OFF215-S	493	1460	561
9120120	9120123	OFF315-S	493	1710	811
9120220	9120223	OFF415-S	493	1960	1061
9120320	9120323	OFF515-S	493	2210	1311

Flange Type Stainless Steel Step: (with Anti-Slip Pad)


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120021	9120024	OFF215-SR	493	1460	561
9120121	9120124	OFF315-SR	493	1710	811
9120221	9120224	OFF415-SR	493	1960	1061
9120321	9120324	OFF515-SR	493	2210	1311

Flange Type Plastic Step:


Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120019	9120022	OFF215-P	476	1460	561
9120119	9120122	OFF315-P	476	1710	811
9120219	9120222	OFF415-P	476	1960	1061
9120319	9120322	OFF515-P	476	2210	1311

* Made of polished Stainless Steel tube (φ42mm) with a polished finish. Specially designed for overflow pool. Easily installed with anchoring or flange fixtures.

BHK SERIES (Lower Part)



BHL SERIES (Lower Part)



Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120002	9120005	BHK215-S	493	642	181
9120102	9120105	BHK315-S	493	922	181
9120202	9120205	BHK415-S	493	1207	183.5
9120302	9120305	BHK515-S	493	1487	183.5

Stainless Steel Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120008	9120011	BHL215-S	493	530
9120108	9120111	BHL315-S	493	780
9120208	9120211	BHL415-S	493	1030
9120308	9120311	BHL515-S	493	1280

Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120003	9120006	BHK215-SR	493	642	181
9120103	9120106	BHK315-SR	493	922	181
9120203	9120206	BHK415-SR	493	1207	183.5
9120303	9120306	BHK515-SR	493	1487	183.5

Stainless Steel Step: (with Anti-Slip Pad)

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120009	9120012	BHL215-SR	493	530
9120109	9120112	BHL315-SR	493	780
9120209	9120212	BHL415-SR	493	1030
9120309	9120312	BHL515-SR	493	1280

Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm	C mm
9120001	9120004	BHK215-P	476	642	181
9120101	9120104	BHK315-P	476	922	181
9120201	9120204	BHK415-P	476	1207	183.5
9120301	9120304	BHK515-P	476	1487	183.5

Plastic Step:

Code (AISI-304)	Code (AISI-316)	Model No.	A mm	B mm
9120007	9120010	BHL215-P	476	530
9120107	9120110	BHL315-P	476	780
9120207	9120210	BHL415-P	476	1030
9120307	9120310	BHL515-P	476	1280

* Handrails in polished stainless steel 304 or 316 (φ42mm) tube. Steps made of stainless steel and plastic are available. Complete with anchoring or flange fixtures

Other Equipment

Handrails, Shower Heads, Starting Platform and Water Cascade



Other Components :

Straight Handrails

Handrail length in 1m

Code	Type
9129003	AISI-304
9129004	AISI-316



Straight Connector

For joining the $\phi 42$ mm pipe

Code	Type
9129005	AISI-304
9129006	AISI-316



Curved Connector


For joining the $\phi 42$ mm pipe

Code	Type
9129007	AISI-304
9129008	AISI-316



Flange Connection for Anchor Ladder (Pair)

Code	Type
9129201	AISI-304
9129202	AISI-316



End Cap

For the end of $\phi 42$ mm pipe

Code	Type
9129009	AISI-304
9129010	AISI-316



Straight Bracket with Base Plate

Applicable for both concrete and vinyl pool

Code	Type
9129011	AISI-304
9129012	AISI-316



Exit Handrail



ARA SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
9125001	9125002	ARA	Anchor
9126001	9126002	ARA-F	Flange



Anchor Type

Flange Type

ARG SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
9125003	9125004	ARG	Anchor
9126007	9126008	ARG-F	Flange




Anchor Type

Flange Type

ARB SERIES


Code (AISI-304)	Code (AISI-316)	Model No.	Type
9126003	9126004	ARB-F	Flange



Flange Type

ARN SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type	No. of Steps	L mm	A mm	B mm
9125005	9125006	ARN415	Anchor	4	1220	882	608
9125007	9125008	ARN515	Anchor	5	1524	882	855
9126009	9126010	ARN415-F	Flange	4	1220	882	608
9126011	9126012	ARN515-F	Flange	5	1524	882	855



Anchor Type

Flange Type



ARP SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
9125009	9125010	ARP	Anchor
9126013	9126014	ARP-F	Flange




Anchor Type

Flange Type

ARV SERIES


Code (AISI-304)	Code (AISI-316)	Model No.	Type
9125013	9125014	ARV	Anchor



Anchor Type

ARS SERIES

Code (AISI-304)	Code (AISI-316)	Model No.	Type
9125011	9125012	ARS	Anchor
9126015	9126016	ARS-F	Flange



Anchor Type


Flange Type

STRAIGHT GRABRAIL

Code (AISI-304)	Code (AISI-316)	Model No.	L mm
9127001	9127002	L50	500
9127003	9127004	L100	1000
9127005	9127006	L150	1500
9127007	9127008	L200	2000
9127009	9127010	L250	2500
9127011	9127012	L300	3000



Shower Head



FAST SPRAY
EM4401



FULL BODY SPRAY
EM4402



JET MASSAGE
EM4405

6 water patterns are available for your choice

Experience Water in different ways!

Enjoy hydrotherapy shower using all physical properties of water to create a new experience. Emaux powerful shower heads are designed to offer excellent showering massage experience.

Product Features

1. Stainless Steel AISI-304 tube
2. Chrome plated heads
3. Hydrotherapy shower effects
4. Unique design with excellent waterproofing and corrosion resistance
5. Easy installation and maintenance





MASSAGE SPRAY
EM4406





JET SPRAY
EM4404




INTENSE JET SPRAY
EM4403

Code	Model No.	Product Name	Connection Dimensions	Pressure (Kpa)	Flow Rate (m ³ /h)	Pattern	Min Pump Head	A mm	B mm
91602001	EM4401	Fast Spray	1.5" / 50mm	20 - 100	14.0 - 48.4	Universal Type	2m	663	946
91602002	EM4402	Full Body Spray	1.5" / 50mm	20 - 100	14.0 - 48.4	Universal Type	2m	705	902
91602003	EM4403	Intense Jet Spray	1.5" / 50mm	20 - 250	5.8 - 24.0	Universal Type	2m	630	962
91602004	EM4404	Jet Spray	1.5" / 50mm	20 - 120	18.0 - 50.0	Fixed Type	2m	628	968
91602005	EM4405	Jet Massage	1.5" / 50mm	20 - 100	14.0 - 48.4	Fixed Type	2m	553	1016
91602006	EM4406	Massage Spray	1.5" / 50mm	20 - 60	5.7 - 12.0	Fixed Type	2m	598	986



Starting Platform



The ideal solution for deck-level swimming pool

Achieve the best results




Product Features

1. Stainless Steel AISI-316 pedestal and backstroke handle
2. Solidly built fiberglass platform
3. Anti-slip tread step



Product Information

Code	Model No.	Description
91601901	STP30R	Starting Platform 30 degree
91601902	STP60R	Starting Platform 60 degree



Water Cascade



Creates a curtain of water








Enjoyable Waterfall Massage

Product Features

1. Stainless Steel AISI-316
2. Floor anchoring system, gaskets and stainless steel screw fittings

Product Information

Code	Model No.	Connection	Dimension	Flow Rate
91601231	EM4416	1.5" / 50mm	345 x 470mm	12-14 m ³ /h
91601232	EM4417	1.5" / 50mm	500 x 680mm	12-14 m ³ /h



EMAUX WATER TECHNOLOGY CO., LTD

ADDRESS: 2/F, Lockhart Centre, No. 301-307

Lockhart Road, Wanchai, Hong Kong

PHONE +852 2832 9880

www.emauxgroup.com



YOUR PREMIER SUPPLIER

Available from: